

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/847,353	05/03/2001	Vladimir Gorokhovsky	T8466103US2	6847
26912	7590 09/17/2004	09/17/2004 EXAMINER		
	LAFLEUR HENDER	CIRIC, LJILJANA V		
	E COURT WEST, SUIT! ON M5L 1J3	ART UNIT	PAPER NUMBER	
CANADA			3753	
			DATE MAILED: 09/17/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

M

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
				EXAMINER	
			ART UNIT	PAPER	
			1	09152004	
			DATE MAILED	:	

Please find below and/or attached an Office communication concerning this application or proceeding.

Ljiljana (Lil) V. Ciric Primary Examiner Art Unit: 3753

Commissioner for Patents



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS United States Patent and Trademark Office
P.O. Box 1450
ALEXANDRIA, VA 22313-1450
Www.usplo.gov

Notice of Non-Compliant Amendment (37 CFR 1.121)
The amendment document filed on 6/17/2004 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121. In order for the amendment document to be compliant, correction of the following item(s) is required. Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).
THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. B. Other
3. Amendments to the drawings: the replacement drawings are not identified in the top margin as Replacement Sheet as required. 4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following 7 status identifiers: (Original), (Currently amended), (Canceled), (Withdrawn), (Previously presented), (New) and (Not entered). D. The claims of this amendment paper have not been presented in ascending numerical order. E. Other:
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at http://www.uspto.gov/web/offices/pac/danp/opla/preognotice/officeflyer.pdf .
If the non-compliant amendment is a PRELIMINARY AMENDMENT , applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.
If the non-compliant amendment is a reply to a NON-FINAL OFFICE ACTION (including a submission for an RCE), and since the amendment appears to be a bona fide attempt to be a reply (37 CFR 1.135(c)), applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).
If the amendment is a reply to a FINAL REJECTION, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.
Legal Instruments Examiner (LiE) 703-308-3925 Telephone No.

Page 2

Application/Control Number: 09/847,353

Art Unit: 3753

Response to Amendment

1. The reply filed on June 17, 2004 is NOT fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendments to the drawings are not in strict compliance with the revised amendment practice in accordance with 37CFR 1.121 for amendments filed on or after July 30, 2003 as required. More particularly, replacement drawing sheets must be identified in the top margin as "Replacement Sheet". See 37 CFR 1.121 and the attached Notice of Non-Compliant Amendment.

Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE** (1) **MONTH or THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ljiljana (Lil) V. Ciric, whose telephone number is (703) 308-3925.

While she works a flexible schedule that varies from day to day and from week to week, Examiner Ciric may generally be reached at the Office during the work week between the hours of 10 a.m. and 6 p.m. ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel, can be reached on (703) 308-1272. The NEW central official fax phone number is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0861.

lvc

September 15, 2004

PRIMARY EXAMINER

ART UNIT 3753